## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

1.(currently amended) A nonaqueous electrolyte composition comprising an organic solvent and an electrolyte salt dissolved in the organic solvent, the organic solvent being a mixed organic solvent comprising (a) 20% to 35% by volume of ethylene carbonate, (b) 35% to 45% by volume of ethyl methyl carbonate, (c) 15% to 35% by volume of dimethyl carbonate, and (d) 3% to 15% by volume of diethyl carbonate or propylene carbonate, the nonaqueous electrolyte composition further comprising at least one member selected from a silicon compound represented by general formula (1):

$$R_{2} \xrightarrow{\stackrel{R_{1}}{\stackrel{I}{\stackrel{}}{\stackrel{}}}} \stackrel{X \longrightarrow \stackrel{R_{4}}{\stackrel{}{\stackrel{}}{\stackrel{}}} \stackrel{R_{5}}{\stackrel{}} \qquad (1)$$

wherein  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$ , and  $R_6$  each represent an alkyl group, an alkoxy group, an alkenyl group, an alkenyloxy group, an alkynyloxy group, an aryl group or an aryloxy group, each of which may have an ether bond in its chain; n

represents 0 to 5; when n is 1 to 5, X represents a single bond, an oxygen atom, an alkylene group, an alkylenedioxy group, an alkenylene group, an alkynylene group, an alkynylenedioxy group, an arylene group or an arylenedioxy group; provided that at least one of  $R_1$  to  $R_6$ , and X has an unsaturated bond,

and a silicon compound represented by general formula (2):

$$-R_{7} - \underset{R_{9}}{\overset{R_{8}}{\overset{}{\sim}}} i - X \qquad (2)$$

wherein  $R_7$  represents an alkenyl group having 2 to 10 carbon atoms;  $R_8$  and  $R_9$  each represent an alkyl group having 1 to 10 carbon atoms, an alkoxy group having 1 to 10 carbon atoms, an alkenyl group having 2 to 10 carbon atoms or a halogen atom; and X represents a halogen atom.

- 2.(original) The nonaqueous electrolyte composition according to claim 1, wherein the organic solvent comprises (a) 25% to 35% by volume of ethylene carbonate, (b) 35% to 45% by volume of ethyl methyl carbonate, (c) 18% to 32% by volume of dimethyl carbonate, and (d) 3% to 10% by volume of diethyl carbonate or propylene carbonate.
- 3.(previously presented) The nonaqueous electrolyte composition according to claim 1, wherein the organic solvent

comprises (a) 30% by volume of ethylene carbonate, (b) 40% by volume of ethyl methyl carbonate, (c) 20% by volume of dimethyl carbonate, and (d) 10% by volume of diethyl carbonate.

- 4. (previously presented) The nonaqueous electrolyte composition according to claim 1, wherein the organic solvent system comprises (a) 25% by volume of ethylene carbonate, (b) 40% by volume of ethyl methyl carbonate, (c) 30% by volume of dimethyl carbonate, and (d) 5% by volume of diethyl carbonate.
- 5.(previously presented) The nonaqueous electrolyte composition according to claim 1, wherein the organic solvent system comprises (a) 25% by volume of ethylene carbonate, (b) 40% by volume of ethyl methyl carbonate, (c) 25% by volume of dimethyl carbonate, and (d) 10% by volume of diethyl carbonate.
- 6.(previously presented) The nonaqueous electrolyte composition according to claim 1, wherein the organic solvent system comprises (a) 25% by volume of ethylene carbonate, (b) 40% by volume of ethyl methyl carbonate, (c) 30% by volume of dimethyl carbonate, and (d) 5% by volume of propylene carbonate.
- 7. (previously presented) The nonaqueous electrolyte composition according to claim 1, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiCF<sub>3</sub>SO<sub>3</sub>, a derivative of LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, and a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.

- 8.(previously presented) The nonaqueous electrolyte composition according to claim 2, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiCF<sub>3</sub>SO<sub>3</sub>, a derivative of LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, and a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.
- 9. (previously presented) The nonaqueous electrolyte composition according to claim 3, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiCF<sub>3</sub>SO<sub>3</sub>, a derivative of LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, and a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.
- 10.(previously presented) The nonaqueous electrolyte composition according to claim 4, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiCF<sub>3</sub>SO<sub>3</sub>, a derivative of LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, and a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.

11-14. (canceled).

- 15. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 1.
- 16.(previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive

Docket No. 8007-1117 Appln. No. 10/594,405

electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 2.

- 17. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 3.
- 18.(previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 4.
  - 19-20. (canceled).
- 21. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 5.
- 22. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte

being the nonaqueous electrolyte composition according to claim 6.

- 23. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 7.
- 24. (previously presented) A nonaqueous electrolyte secondary battery comprising a nonaqueous electrolyte, a positive electrode, and a negative electrode, the nonaqueous electrolyte being the nonaqueous electrolyte composition according to claim 8.
- 25. (previously presented) The nonaqueous electrolyte composition according to claim 5, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.
- 26. (previously presented) The nonaqueous electrolyte composition according to claim 6, wherein the electrolyte salt is at least one member selected from LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiClO<sub>4</sub>, LiAsF<sub>6</sub>, LiCF<sub>3</sub>SO<sub>3</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>, a derivative of LiCF<sub>3</sub>SO<sub>3</sub>, a derivative of LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>, and a derivative of LiC(CF<sub>3</sub>SO<sub>2</sub>)<sub>3</sub>.